

Erratum

Fusions of Muller's Elements during Chromosome Evolution of *Drosophila albomicans*

Te-Pin Chang¹, Tai-Hua Tsai¹, and Hwei-yu Chang^{1,2,*}

¹Department of Entomology, National Taiwan University, Taipei 106, Taiwan

²Biodiversity Research Center, Academia Sinica, Nankang, Taipei 115, Taiwan

[Article in *Zoological Studies* 47(5): 574-584 (2008)]

In page 583, on figure 5, the first line (*willistoni*) should be B+C, D+A.




Fig. 5. Phylogenetic tree with fusion events marked on the branches. Fusion data other than from *Drosophila albomicans* and *D. nasuta* were obtained from Ashburner et al. (2005), and the phylogenetic relationship was derived from FlyBase. The fusion of Muller's elements is indicated on the branch. An ampersand (&) was used to designate the special case of only the Y chromosome of the homologous (D+A) pair being involved in the (D+A)&C fusion of *D. miranda*. The branch length is not proportional to the divergence time, and species with the same karyotype are grouped together for simplicity not monophyly. *aff(4)*, *affinis*, *algonquin*, *athabasca*, and *azteca*; *mel(2)*, *melanogaster* and *simulans*; *obs(2)*, *obscura* and *ambigua*; *per(2)*, *persimilis* and *pseudoobscura*; *rep(2)*, *repleta* and *hydei*; *sub(2)*, *subobscura* and *madeirensis*