

Genus	Species	Distribution	Recorded in this work	Observations
<i>Afrius</i> Stål, 1870	<i>A. (Afrius) kollerii</i> Schouteden, 1911	Ethiopian	x	
	<i>A. (Afrius) purpureus</i> (Westwood, 1837) **		x	
	<i>A. (Subafrius) flavirostrum</i> (Signoret, 1861)		x	
<i>Alcaeorrhynchus</i> Bergroth, 1891	<i>A. grandis</i> (Dallas, 1851) **	Nearctic and Neotropical	x	
	<i>A. phymatophorus</i> (Palisot de Beauvois, 1805)		x	
<i>Amyotea</i> Ellenrieder, 1862	<i>A. erythromela</i> (Walker, 1868)	Australian and Oriental	x	
	<i>A. frontalis</i> (Walker, 1868)		x	
	<i>A. glaucolimbata</i> (Tryon, 1892)		x	
	<i>A. hamata</i> (Walker, 1868)		x	
	<i>A. lata</i> Zhao et al., 2011		x	
	<i>A. malabarica</i> (Fabricius, 1775) **		x	
	<i>A. micans</i> (Distant, 1888)		xx	
	<i>A. reciproca</i> (Walker, 1868)		x	
	<i>A. maliki</i> Ahmad & Kamaluddin, 1996			
<i>Anasida</i> Karsch, 1892	<i>A. funebris</i> Distant, 1900	Ethiopian and Oriental	xx	
	<i>A. orientalis</i> Distant, 1910		x	
	<i>A. schoutedeni</i> Distant, 1910		x	
	<i>A. tenebrio</i> Karsh, 1892 **		x	
<i>Andrallus</i> Bergroth, 1905	<i>A. spinidens</i> (Fabricius, 1787) **	cosmopolitan	x	
<i>Apateticus</i> Dallas, 1851	<i>A. lineolatus</i> (Herrich-Schaffer, 1840) **	Nearctic and Neotropical	x	
	<i>A. marginiventris</i> (Stål, 1870)		x	
<i>Apoecilus</i> Stål, 1870	<i>A. bracteatus</i> (Fitch, 1856)	Nearctic and Neotropical	x	
	<i>A. cynicus</i> (Say, 1831) **		x	
	<i>A. invariatus</i> (Walker, 1867)		x	
<i>Arma</i> Hahn, 1832	<i>A. custos</i> (Fabricius, 1794) **	Palearctic and Oriental	x	
	<i>A. ferruginea</i> (Hsiao & Cheng, 1977)		x	
	<i>A. insperata</i> Horváth, 1899		x	
	<i>A. koreana</i> Josifov & Kerzhner, 1978		x	
	<i>A. maculata</i> Zheng, 1980		x	
	<i>A. tuberculata</i> (Yang, 1935)		x	

	<i>A. velata</i> Walker, 1868		xx
<i>Australojalla</i> Thomas, 1994	<i>A. versicolor</i> (Distant, 1911) **	Australian	x
<i>Blachia</i> Walker, 1867	<i>B. ducalis</i> Walker, 1867 **	Oriental	x
<i>Brontocoris</i> Thomas, 1992	<i>B. nigrolimbatus</i> (Spinola, 1852) **	Neotropical	x
	<i>B. tabidus</i> (Signoret, 1863)		x
<i>Bulbostethus</i> Ruckes, 1960	<i>B. chrysopterus</i> (Herrich-Schaeffer, 1844) **	Oriental (Mariana islands)	x
	<i>B. transversalis</i> Ruckes, 1963		x
<i>Canthecona</i> Amyot & Serville, 1843	<i>C. discolor</i> (Palisot de Beauvois, 1811) **	Ethiopian	x
<i>Cantheconesia</i> Brugnera & Roca-Cusaci	<i>C. cyanacantha</i> (Stål, 1870)	Oriental	x
<i>Cantheconidea</i> Schouteden, 1907	<i>C. humeralis</i> (Distant, 1908)	Oriental	x
	<i>C. javana</i> (Dallas, 1851) **		x
	<i>C. mitis</i> (Vollenhoven, 1868)		x
<i>Cazira</i> Amyot & Serville, 1843	<i>C. bergrothi</i> Breddin, 1903	Oriental	x
	<i>C. breddini</i> Schouteden, 1907		x
	<i>C. chiroptera</i> (Herrich-Schaeffer, 1840)		x
	<i>C. concinna</i> Hsiao & Zheng, 1977		x
	<i>C. emeia</i> Zhang & Lin, 1982		x
	<i>C. flava</i> Yang, 1934		x
	<i>C. frivaldskyi</i> Horváth, 1889		x
	<i>C. fruhstorferi</i> Breddin, 1901		x
	<i>C. horvathi</i> Breddin, 1903		x
	<i>C. inerma</i> Yang, 1934		x
	<i>C. insignis</i> (Schouteden, 1907)		x
	<i>C. internexa</i> Walker, 1867		x
	<i>C. kirkaldyi</i> Breddin, 1903		x
	<i>C. membranaria</i> Zhang & Lin, 1982		x
	<i>C. montandoni</i> Breddin, 1903		x
	<i>C. reuteri</i> Breddin, 1903		x
	<i>C. schwarzi</i> Abbasi & Rishi, 1974		xx
	<i>C. sichuana</i> Zhang & Lin, 1986		x
	<i>C. similis</i> Distant, 1902		x

	<i>C. thibetensis</i> Schouteden, 1907		x
	<i>C. ulcerata</i> (Burmeister, 1835)		x
	<i>C. vegeta</i> Kirkaldy, 1909		x
	<i>C. verrucosa</i> (Westwood, 1834) **		x
	<i>C. yunnanica</i> (Zhang & Lin, 1982)		x
<i>Cecyrina</i> Walker, 1867	<i>C. flata</i> Zhao et al., 2016	Oriental	x
	<i>C. platyrhinoides</i> Walker, 1867 **		x
	<i>C. rubra</i> Zhao et al., 2016		x
<i>Cermatulus</i> Dallas, 1851	<i>C. nasalis</i> (Westwood, 1837) **	Australian	x
	<i>C. turbotti</i> Woodward, 1950		xx
<i>Colpothyreus</i> Stål, 1867	<i>C. flavolineatus</i> (Blanchard, 1843) **	Neotropical	x
<i>Comperocoris</i> Stål, 1867	<i>C. roehneri</i> (Phillipi, 1862) **	Neotropical	x
<i>Conquistator</i> Gapon, 2009	<i>C. mucronatus</i> (Uhler, 1897) **	Nearctic and Neotropical	x
<i>Coryzorhaphis</i> Spinola, 1837	<i>C. carneolus</i> Erichson, 1848	Neotropical	x
	<i>C. cruciata</i> Stål, 1870		x
	<i>C. dollingi</i> Thomas, 1992		x
	<i>C. egeri</i> Thomas, 1992		x
	<i>C. leucocephala</i> Spinola, 1837 **		x
	<i>C. superba</i> Breddin, 1906		x
<i>Damarius</i> Schouteden, 1907	<i>D. splendidulus</i> (Fabricius, 1803) **	Ethiopian	x
<i>Dinorhynchus</i> Jakovlev, 1876	<i>D. dybowskyi</i> Jakovlev, 1876 **	Palaearctic and Oriental	x
	<i>D. opulentus</i> (Distant, 1890)		x
<i>Discocera</i> Laporte, 1833	<i>D. cayennensis</i> Laporte, 1833 **	Neotropical	x
	<i>D. coccinea</i> (Fabricius, 1798)		x
<i>Dorycoris</i> Mayr, 1864	<i>D. pavoninus</i> (Westwood, 1837) **	Ethiopian	x
<i>Ealda</i> Walker, 1867	<i>E. minax</i> Walker, 1867 **	Australian (New Caledonia)	x
<i>Eocanthacona</i> Bergroth, 1915	<i>E. acuta</i> (Vollenhoven, 1868)	Australian and Oriental	x
	<i>E. binotata</i> (Distant, 1879)		x
	<i>E. concinna</i> (Walker, 1867)		x
	<i>E. eburnea</i> Bergroth, 1915		x
	<i>E. formosa</i> (Horváth, 1911)		x

	<i>E. furcellata</i> (Wolff, 1801) **		X
	<i>E. gaugleri</i> (Schneider, 1940)		X
	<i>E. insularis</i> (Kirby, 1891)		X
	<i>E. japonicola</i> (Esaki & Ishihara, 1950)		X
	<i>E. kyushuensis</i> (Esaki & Ishihara, 1950)		XX
	<i>E. latipes</i> (Stål, 1871)		X
	<i>E. neotibialis</i> (Ahmad & Rana, 1988)		XX
	<i>E. ornatula</i> (Distant, 1908)		X
	<i>E. parva</i> (Distant, 1902)		X
	<i>E. plebeja</i> (Vollenhoven, 1868)		
	<i>E. populusi</i> (Ahmad & Rana, 1988)		XX
	<i>E. robusta</i> (Distant, 1879)		X
	<i>E. rufescens</i> (Vollenhoven, 1868)		X
	<i>E. shikokuensis</i> (Esaki & Ishihara, 1950)		XX
	<i>E. thomsoni</i> (Distant, 1911)		X
	<i>E. tibialis</i> (Distant, 1879)		X
	<i>E. variabilis</i> (Vollenhoven, 1868)		X
	<i>E. vollenhoveni</i> (Breddin, 1902)		X
<i>Euthyrhynchus</i> Dallas, 1851	<i>E. floridanus</i> (Linnaeus, 1767) **	Nearctic and Neotropical	X
<i>Friarius</i> Schouteden, 1907	<i>F. alluaudi</i> (Schouteden, 1905) **	Ethiopian	X
<i>Glypsus</i> Dallas, 1851	<i>G. abdominalis</i> Cachan, 1952	Ethiopian	X
	<i>G. bouvieri</i> Schouteden, 1904		X
	<i>G. carinulatus</i> Bergoth, 1904		X
	<i>G. conspicuus</i> (Westwood, 1837)		X
	<i>G. erubescens</i> Distant, 1890		X
	<i>G. fuscispinus</i> Stål, 1870		XX
	<i>G. kuhlgatzi</i> Schouteden, 1904		X

G. luridus Dallas, 1851

Glypsus is distributed in several countries in Africa. Although the original description lists "Korea" as the distribution of *G. luridus*, and this was also checked in the labels of the syntype (Roell et al 2023), this locality is not certain (Thomas 1992). Roell et al 2023 also mentioned the possible synonymy between *G. luridus* and *G. erubescens*.

	<i>G. nigripes</i> Horváth, 1911		xx
	<i>G. sparsus</i> (Westwood, 1837)		xx
	<i>G. truculentus</i> Walker, 1868		x
	<i>G. vigil</i> (Germar, 1837) **		x
<i>Hemallia</i> Bergroth, 1908	<i>H. signitenens</i> (Schouteden, 1905) **	Ethiopian	x
<i>Heteroscelis</i> Latreille, 1829	<i>H. bimaculata</i> (Walker, 1867)	Nearctic and Neotropical	x
	<i>H. lepida</i> (Stål, 1862)		x
	<i>H. servillii</i> Laporte, 1833 **		x
	<i>H. robustus</i> Thomas, 1992		x
	<i>H. vandenbergi</i> Sampaio & Campos, 2023		x
<i>Hoploxys</i> Dallas, 1851	<i>H. coeruleus</i> Dallas, 1851 **	Ethiopian	x
<i>Jalla</i> Hahn, 1832	<i>J. dumosa</i> (Linnaeus, 1758) **	Palearctic and Oriental	x
	<i>J. subcalcarata</i> Jakovlev, 1885		x
	<i>J. subdilatata</i> Reuter, 1900		xx
<i>Jalloides</i> Schouteden, 1907	<i>J. opulentus</i> Distant, 1911	Australian	x
	<i>J. rubricosus</i> (Stål, 1870) **		xx
<i>Leptolobus</i> Signoret, 1855	<i>L. eburneatus</i> Karsch, 1892	Ethiopian	x
	<i>L. insignis</i> (Distant, 1898)		x
	<i>L. karschi</i> Schumacher, 1912		x
	<i>L. martini</i> (Schouteden, 1904)		xx
	<i>L. murrayi</i> Signoret, 1855 **		x
	<i>L. zanzibaricus</i> Bolivar, 1879		x
<i>Macrorhaphis</i> Dallas, 1851	<i>M. (Macrorhaphis) dallasi</i> Schouteden, 1905	Ethiopian	x
	<i>M. (Macrorhaphis) leprosa</i> (Germar, 1837) **		x

	<i>M. (Megarhaphis) acuta</i> Dallas, 1851		x
	<i>M. (Megarhaphis) wollastoni</i> White, 1878		x
<i>Marmessus</i> Bergroth, 1891	<i>M. brasiliensis</i> Schouteden, 1907	Neotropical	x
	<i>M. nigricornis</i> (Stål, 1865) **		x
<i>Martinina</i> Schouteden, 1907	<i>M. inexpectata</i> Schouteden, 1907 **	Oriental	x
	<i>M. prima</i> (Distant, 1908)		x
<i>Mecosoma</i> Dallas, 1851	<i>M. coquerelii</i> Signoret, 1861	Ethiopian	xx
	<i>M. floridum</i> Distant, 1890		xx
	<i>M. mensor</i> (Germar, 1837) **		x
<i>Montrouzierellus</i> Kirkaldy, 1908	<i>M. borneensis</i> (Distant, 1900)	Australian and Oriental	x
	<i>M. falleni</i> (Guérin-Méneville, 1831)		x
	<i>M. inermis</i> (Schouteden, 1907)		xx
	<i>M. laetus</i> (Walker, 1867)		x
	<i>M. lefebvrei</i> (Spinola, 1837) **		x
	<i>M. minor</i> (Ellenrieder, 1862)		x
	<i>M. purparascens</i> (Walker, 1868)		x
	<i>M. turneri</i> (Distant, 1911)		x
<i>Oechalia</i> Stål, 1862	<i>O. acuta</i> Usinger, 1941	Australian and Oriental	x
	<i>O. bryani</i> Usinger, 1941		x
	<i>O. ferruginea</i> Usinger, 1941		x
	<i>O. grisea</i> (Burmeister, 1834)		x
	<i>O. hirtipes</i> Van Duzee, 1936		x
	<i>O. kaonohi</i> Kirkaldy, 1909		x
	<i>O. pacifica</i> Stål, 1859		x
	<i>O. patruelis</i> Stål, 1859		x
	<i>O. schellenbergii</i> (Guérin-Méneville, 1831) **		x
	<i>O. similis</i> Usinger, 1941		x
	<i>O. sinuata</i> Usinger, 1942		x
	<i>O. suehiroae</i> Usinger, 1941		x
	<i>O. swezeyi</i> Usinger, 1941		x
	<i>O. virescens</i> Usinger, 1941		x

	<i>O. virgula</i> Van Duzee, 1936		x
<i>Opломus</i> Spinola, 1837	<i>O. annotatus</i> Uhler, 1863	Nearctic and Neotropical	xx
	<i>O. catena</i> (Drury, 1782)		x
	<i>O. cruentus</i> (Burmeister, 1835)		x
	<i>O. dichrous</i> (Herrich-Schaeffer, 1838)		x
	<i>O. ebulinus</i> (Herrich-Schaeffer, 1844)		x
	<i>O. festivus</i> Dallas, 1851		x
	<i>O. mundus</i> Stål, 1862		x
	<i>O. mutabilis</i> Stål, 1862		x
	<i>O. pulcher</i> Dallas, 1851		x
	<i>O. pulchriventris</i> Horváth, 1911		x
	<i>O. punctatus</i> Montandon, 1895		x
	<i>O. salamandra</i> (Burmeister, 1835) **		x
<i>Parajalla</i> Distant, 1911	<i>P. sanguineosignata</i> (Spinola, 1852) **	Neotropical	x
<i>Parealda</i> Schouteden, 1907	<i>P. bouvieri</i> Schouteden, 1907 **	Oriental (Mariana islands)	x
<i>Perillus</i> Stål, 1862	<i>P. bioculatus</i> (Fabricius, 1775)	Nearctic and Neotropical	x
	<i>P. circumcinctus</i> Stål, 1862		x
	<i>P. confluens</i> (Herrich-Schaeffer, 1840) **		x
	<i>P. exapus</i> (Say, 1825)		x
	<i>P. lunatus</i> Knight, 1952		x
	<i>P. splendidus</i> (Uhler, 1861)		x
	<i>P. strigipes</i> (Herrich-Schaeffer, 1851)		x
<i>Picromerus</i> Amyot & Serville, 1843	<i>P. bidens</i> (Linnaeus, 1758) **	Nearctic, Palearctic and Oriental	x
	<i>P. brachypterus</i> Ahmad & Onder, 1990		xx
	<i>P. conformis</i> (Herrich-Schaeffer, 1841)		x
	<i>P. elevatus</i> Zhao et al 2013		x
	<i>P. fasciiceps</i> Zheng & Liu, 1987		x
	<i>P. griseus</i> (Dallas, 1851)		x
	<i>P. lewisi</i> Scott, 1874		x
	<i>P. nigridentis</i> (Fabricius, 1803)		x
	<i>P. orientalis</i> Rishi & Abbasi, 1973		xx

	<i>P. pseudobidens</i> Ahmad & Onder, 1990		xx
	<i>P. viridipunctatus</i> Yang, 1934		x
<i>Pinthaeus</i> Stål, 1867	<i>P. sanguinipes</i> (Fabricius, 1781) **	Oriental	x
<i>Planopsis</i> Schouteden, 1907	<i>P. silvaticus</i> (Distant, 1890) **	Ethiopian	x
<i>Platynopiellus</i> Thomas, 1994	<i>P. delevali</i> (Schouteden, 1910)	Ethiopian	x
	<i>P. dispar</i> (Schouteden, 1916)		xx
	<i>P. fallax</i> (Schouteden, 1904)		xx
	<i>P. horvathi</i> (Schouteden, 1904)		xx
	<i>P. reichi</i> (Signoret, 1858)		xx
	<i>P. scutellatus</i> (Distant, 1900)		x
	<i>P. septendecimmaculatus</i> (Palisot de Beavois, 1811) **		x
	<i>P. thomsonii</i> (Signoret, 1858)		x
<i>Platynopus</i> Amyot & Serville, 1843	<i>P. calliger</i> Horváth, 1911	Oriental	xx
	<i>P. carbonarius</i> Horváth, 1911		x
	<i>P. dalpadoides</i> (Vollenhoven, 1867)		x
	<i>P. indicus</i> Chaterjee, 1934		x
	<i>P. melanoleucus</i> (Westwood, 1837) **		x
<i>Podisus</i> Herrich-Shaeffer, 1851	<i>P. aenescens</i> (Stål, 1860)	Nearctic and Neotropical	x
	<i>P. affinis</i> Distant, 1880		x
	<i>P. amboroensis</i> Brugnera, 2024		
	<i>P. australis</i> Berg, 1879		x
	<i>P. awajun</i> Brugnera, 2024		
	<i>P. borinquensis</i> Barber, 1939		x
	<i>P. bororo</i> Brugnera & Grazia, 2024		
	<i>P. brevispinus</i> Thomas, 1992		x
	<i>P. crassimargo</i> (Stål, 1860)		x
	<i>P. congrex</i> (Stål, 1862)		x
	<i>P. cornutus</i> (Dallas, 1851)		x
	<i>P. curvispinus</i> Bergroth, 1891		x
	<i>P. distinctus</i> (Stål, 1860)		x
	<i>P. dufouri</i> Bergroth, 1891		

	<i>P. falcatus</i> Distant, 1889		x
	<i>P. formosus</i> Costa Leite, 1957		
	<i>P. fuscescens</i> (Dallas, 1851)		x
	<i>P. graziae</i> Brugnera Roell & Lemaître, 2021		x
	<i>P. guarani</i> Brugnera & Grazia, 2024		
	<i>P. gundlachii</i> (Guérin-Méneville, 1857)		xx
	<i>P. insignis</i> Distant, 1880		x
	<i>P. mactans</i> Thomas, 1992		x
	<i>P. maculiventris</i> (Say, 1831)		x
	<i>P. mexicanus</i> Distant, 1880		x
	<i>P. neglectus</i> (Westwood, 1837)		x
	<i>P. nigrispinus</i> (Dallas, 1851) **		x
	<i>P. nigriventris</i> Distant, 1880		x
	<i>P. pallipes</i> (Dallas, 1851)		x
	<i>P. placidus</i> Uhler, 1870		x
	<i>P. punctiger</i> Stål, 1860		
	<i>P. quechua</i> Brugnera & Sampaio, 2024		
	<i>P. rostralis</i> (Stål, 1860)		x
	<i>P. sagitta</i> (Fabricius, 1794)		x
	<i>P. schaefferi</i> Lethierry & Severin, 1893		
	<i>P. sculptus</i> Distant, 1889		x
	<i>P. semialbus</i> (Walker, 1868)		x
	<i>P. serieventris</i> Uhler, 1871		x
	<i>P. sordidus</i> (Stål, 1859)		x
	<i>P. subferrugineus</i> Barber & Bruner, 1932		x
	<i>P. tinctus</i> (Dallas, 1851)		x
	<i>P. thomasi</i> Lemaître Roell & Brugnera, 2021		x
	<i>P. trucidatus</i> Thomas, 1992		x
	<i>P. ventralis</i> (Dallas, 1851)		x
<i>Ponapea</i> Ruckes, 1963	<i>P. arachnoides</i> Ruckes, 1963 **	Oriental (Caroline islands)	x
<i>Pseudanasida</i> Schouteden, 1907	<i>P. fallax</i> Schouteden, 1907 **	Oriental	x

	<i>P. ikrami</i> (Ahmad & kamaluddin, 1983)		xx	
<i>Rhacognathus</i> Fieber, 1860	<i>R. americanus</i> Stål, 1870	Nearctic, Palearctic and Oriental	x	
	<i>R. callosus</i> Horváth, 1903		xx	
	<i>R. corniger</i> Hsiao & Zheng, 1977		x	
	<i>R. lamellifer</i> Josifov & Kerzner, 1978			Korea?
	<i>R. punctatus</i> (Linnaeus, 1758) **		x	
<i>Spockia</i> Roca-Cusachs & Jung, 2019	<i>S. tagala</i> Roca-Cusachs & Jung, 2019 **	Oriental	x	
<i>Stilbotes</i> Stål, 1871	<i>S. semperi</i> Stål, 1871 **	Oriental	x	
	<i>S. goulae</i> Roca-Cusachs & Jung 2018		x	
<i>Stiretrus</i> Laporte, 1833	<i>S. anchorago</i> (Fabricius, 1775)	Nearctic and Neotropical	x	
	<i>S. bifrenatus</i> Breddin, 1906		x	
	<i>S. cinctellus</i> Germar, 1839		x	
	<i>S. decastigmus</i> (Herrich-Schaeffer, 1838)		x	
	<i>S. decemguttatus</i> (Lepeletier & Serville, 1828) **		x	
	<i>S. erythrocephalus</i> (Lepeletier & Serville, 1828)		x	
	<i>S. loratus</i> Germar, 1839		x	
	<i>S. quinquepunctatus</i> Germar, 1839		x	
<i>Supputius</i> Distant, 1889	<i>S. cincticeps</i> (Stål, 1858)	Neotropical	x	
	<i>S. pulchricornis</i> (Stål, 1862)		x	
	<i>S. typicus</i> Distant, 1889 **		x	
<i>Troilus</i> Stål, 1867	<i>T. luridus</i> (Fabricius, 1775) **	Palearctic and Oriental	x	
	<i>T. testaceus</i> Zheng & Liu, 1987		x	
<i>Tylospilus</i> Stål, 1870	<i>T. acutissimus</i> Stål, 1870	Nearctic and Neotropical	x	
	<i>T. armatussimilis</i> Brugnera, Paim & Grazia, 2020		x	
	<i>T. chilensis</i> (Spinola, 1852) **		x	
	<i>T. cloelia</i> (Stål, 1862)		x	
	<i>T. distans</i> Bergroth, 1891		x	
	<i>T. gaumeri</i> (Distant, 1889)		x	
	<i>T. megaspilus</i> (Walker, 1867)		x	
	<i>T. nigrobinotatus</i> (Berg, 1879)		x	
	<i>T. peruvianus</i> (Horváth, 1911)		x	

<i>Tynacantha</i> Dallas, 1851	<i>T. cuprea</i> Brugnera & Grazia, 2019	Neotropical	x
	<i>T. marginata</i> Dallas, 1851 **		x
	<i>T. splendens</i> Distant, 1889		x
	<i>T. umeridenigrata</i> Brugnera & Grazia, 2019		x
<i>Tyrannocoris</i> Thomas, 1992	<i>T. jole</i> (Stål, 1862)	Neotropical	x
	<i>T. rex</i> Thomas, 1992 **		x
	<i>T. nigriceps</i> Thomas, 1992		x
	<i>T. rideri</i> Thomas, 1992		x
<i>Zicrona</i> Amyot & Serville, 1843	<i>Z. americana</i> Thomas, 1992	Nearctic, Palearctic and Oriental	x
	<i>Z. caerulea</i> (Linnaeus, 1758) **		x
	<i>Z. hisarensis</i> Chopra & Sucheta, 1984		x

** Type-species

xx Only country information available